## **WORK ORDER FIELD TICKET**

12/23/2010 3:40pm

## Work Order 31592-G

Type: CABLE ENGINEERING Priority: O/B - ON OR BEFORE

Status: Open Received Date: 12/23/2010
Owner: Schedule Date: 12/30/2010

Operator: rgrant

Tech Group: Technician Id:

Contact: STEVE LOBIK Phone: 5-6516

Email: Fax:

Location: Building: Floor: Room:

Requestor: HATCH, SUZANNE Phone: 5-6513 Email: slhatch@facil.umass.edu Fax: 5-3684

Location: Building: 398 Floor: 03 Room: 307

PHYSICAL PLANT ADDITION

Description: FACILITIES & CAMPUS PLANNING / WMASS DEPT OF PUBLIC HEALTH

MORRILL SCIENCE CENTER (126)

EXPEDITE \*\*\*\*\*\* EXPEDITE \*\*\*\*\* EXPEDITE \*\*\*\*\* EXPEDITE \*\*\*\*\*\*

- 1. UPGRADE D601 5-5997 IN RM N245 (NEW), JK 2-1-8A, TO A D4220 INSTRUMENT.
- 2. UPGRADE D601 5-5996 IN RM 251A (OLD), JK 2-1-9A, TO A D4220 INSTRUMENT AND MOVE TO RM N251A (NEW), JK 2-1-35A.
- 3. DEINSTALL ANALOG LINE 5-6373 IN RM 251A (OLD), JK 2-1-9B.
- 4. UPGRADE D601 5-2606 IN RM 224A, JK 1-1-14A, TO A D4220 INSTRUMENT AND MOVE TO RM N247, JK 2-1-9A. (NEW LOCATION FOR THIS JACK)
- 5. UPGRADE D601 5-2601 IN RM 251 (OLD), JK 2-1-10A, TO A D4220 INSTRUMENT AND MOVE TO RM N251A (NEW), JK 2-1-39A.
- 6. MOVE ANALOG LINE 5-2608 IN RM N253 (OLD), JK 2-1-11B, TO RM N251A (NEW), JK 2-1-36A.
- 7. UPGRADE D601 5-5990 IN RM N253 (OLD), JK 2-1-11A, TO A D4220 INSTRUMENT AND MOVE TO RM N251 (NEW), JK 2-1-37A.

ONE-TIME SPEEDTYPE: 134835 (FACILITIES)

MONTHLY SPEEDTYPE TF0100

EQUIPMENT: \$150.00 LABOR: \$195.00 EXP FEE: \$100.00 TOTAL COST: \$445.00

Page 1 of 12

Type: Replace Equipment Due Date: 12/30/2010

Status: Open Est. Time:
Tech Group: Est. Cost:

Technician Id:

**Old Information** 

User ID: 545599701 Quantity: 1.0
User Name: SALEM, SHARON Start/Stop Date: 08/01/1997

Item Nbr.: DL1

Location: Building: 126 Floor: 02 Room: N245

MORRILL SCEINCE CENTER I

Deinstall Date: Get from Loc.:
Action: None Return to Loc.:

Serial Nbr:

LEN/Port Information: Directory Nbr.: (413) 545-5997

Switch Node: ERA1 LEN Nbr.: 27 0 41 06

Cable Information: Jack ID: 126-02-1-008A

Distribution ID: 12602N245 Cable: 126-02-1-008A Pair 1: Pair 3: Pair 4: 1 Pair 2: Distribution ID: 126-02-1 Cable: 1260045A-0150 Pair 1: 107 Pair 2: Pair 3: Pair 4: Distribution ID:126-01-1 Cable: A0404-0375 191 Pair 1: Pair 2: Pair 3: Pair 4: Distribution ID:MDFA04 Cable: Pair 1: Pair 2: Pair 3: Pair 4:

New Information

User ID:545599701Quantity:1.0User Name:SALEM, SHARONStart Bill Date:Item Number:D4220/DL1Stop Bill Date:

Location: Building: 126 Floor: 02 Room: N245

Serial Nbr: MORRILL SCEINCE CENTER I

LEN/Port Information: Directory Nbr.: (413) 545-5997

Switch Node: ERA1 LEN Nbr.: 27 0 41 06

Cable Information: Jack ID: 126-02-1-008A

Distribution ID: 12602247 Cable: 126-02-1-008A Pair 1: 1 Pair 3: Pair 4: Pair 2: Distribution ID: 126-02-1 Cable: 1260045A-0150 Pair 1: 107 Pair 2: Pair 3: Pair 4: Cable: A0404-0375 Distribution ID: 126-01-1 Pair 1: 191 Pair 4: Pair 2: Pair 3: Distribution ID: MDFA04 Cable: Pair 1: Pair 2: Pair 3: Pair 4:

Description: User: SHARON SALEM / Item: DIGITAL LINE / Equipment Location: MORRILL SCEINCE CENTER I, Floor 02, Room

247

Type: Remove Equipment/Services Due Date: 12/30/2010

Status: Open Est. Time: Tech Group: Est. Cost:

Technician Id:

User ID:545599701Quantity:1.0User Name:SALEM, SHARONStart/Stop Date:08/01/1997

Item Number: D601

Location: Building: Floor: Room:

Deinstall Date:

Action: None Return to Loc.:

Serial Nbr:

LEN/Port Information: Directory Nbr.: (413) 545-5997

Switch Node: LEN Nbr.:

Cable Information: Jack ID:

Distribution ID: Pair 1: Pair 2: Pair 3: Pair 4:

Type: Replace Equipment Due Date: 12/30/2010

Status: Open Est. Time:
Tech Group: Est. Cost:

Technician Id:

Old Information

 User ID:
 545599601
 Quantity:
 1.0

 User Name:
 COMPUTER RM 251A
 Start/Stop Date:
 08/01/1997

Item Nbr.: DL1

Location: Building: 126 Floor: 02 Room: N247

MORRILL SCEINCE CENTER I

Deinstall Date: Get from Loc.:
Action: None Return to Loc.:

Serial Nbr:

LEN/Port Information: Directory Nbr.: (413) 545-5996

Switch Node: ERA1 LEN Nbr.: 30 0 11 00

Cable Information: Jack ID: 126-02-1-009A

Distribution ID:12602N247 Cable: 126-02-1-009A Pair 1: 1 Pair 4: Pair 2: Pair 3: Distribution ID: 126-02-1 Cable: 1260045A-0150 Pair 1: 108 Pair 2: Pair 3: Pair 4: Distribution ID:126-01-1 Cable: A0404-0375 192 Pair 1: Pair 2: Pair 3: Pair 4: Distribution ID:MDFA04 Cable: Pair 1: Pair 2: Pair 3: Pair 4:

New Information

User ID:545599601Quantity:1.0User Name:COMPUTER RM 251AStart Bill Date:Item Number:D4220/DL1Stop Bill Date:

Location: Building: 126 Floor: 02 Room: N247

Serial Nbr: MORRILL SCEINCE CENTER I

LEN/Port Information: Directory Nbr.: (413) 545-5996

Switch Node: ERA1 LEN Nbr.: 30 0 11 00

Cable Information: Jack ID: 126-02-1-009A

Distribution ID: 12602N251A Cable: 126-02-1-009A Pair 1: 1 Pair 3: Pair 4: Pair 2: Distribution ID: 126-02-1 Cable: 1260045A-0150 Pair 1: 108 Pair 2: Pair 3: Pair 4: Cable: A0404-0375 Distribution ID: 126-01-1 Pair 1: 192 Pair 4: Pair 2: Pair 3: Distribution ID: MDFA04 Cable: Pair 1: Pair 2: Pair 3: Pair 4:

Description: User: COMPUTER RM 251A / Item: DIGITAL LINE / Equipment Location: MORRILL SCEINCE CENTER I, Floor 02,

Room 251A

Type: Remove Equipment/Services Due Date: 12/30/2010

Status: Open Est. Time: Tech Group: Est. Cost:

Technician Id:

 User ID:
 545599601
 Quantity:
 1.0

 User Name:
 COMPUTER RM 251A
 Start/Stop Date:
 08/01/1997

Item Number: D601

Location: Building: Floor: Room:

Deinstall Date:

Action: None Return to Loc.:

Serial Nbr:

LEN/Port Information: Directory Nbr.: (413) 545-5996

Switch Node: LEN Nbr.:

Cable Information: Jack ID:

Distribution ID: Cable: Pair 1: Pair 2: Pair 3: Pair 4:

Description:

Order Item 31592-G-005

Type: Remove Equipment/Services Due Date: 12/30/2010

Status: Open Est. Time:
Tech Group: Est. Cost:

Technician Id:

 User ID:
 545637301
 Quantity:
 1.0

 User Name:
 MODEM LINE RM251A
 Start/Stop Date:
 08/01/1997

Item Number: ALO

Location: Building: 126 Floor: 02 Room: N247

Deinstall Date: MORRILL SCEINCE CENTER I
Action: None Return to Loc.:

Serial Nbr:

LEN/Port Information: Directory Nbr.: (413) 545-6373

Switch Node: ERA1 LEN Nbr.: 25 1 20 05

Cable Information: Jack ID: 126-02-1-009B

Distribution ID:12602N247 Cable: 126-02-1-009B Pair 1: 1 Pair 2: Pair 3: Pair 4: Distribution ID:126-02-1 Cable: 1260045A-0150 Pair 1: 103 Pair 2: Pair 3: Pair 4: Distribution ID:126-01-1 Cable: A0404-0375 Pair 1: 320 Pair 2: Pair 3: Pair 4: Distribution ID:MDFA04 Cable: Pair 1: Pair 2: Pair 3: Pair 4:

Type: Change User Information Due Date: 12/30/2010

Status: Open Est. Time: Tech Group: Est. Cost:

Technician Id:

 User Id:
 545637301
 User Name:
 MODEM LINE RM251A

 Old User Id:
 545637301
 Old User Name:
 MODEM LINE RM251A

Description: User: MODEM LINE RM251A / User Location: MORRILL SCEINCE CENTER I, Floor 02, Room 251A

Order Item 31592-G-007

Type: Replace Equipment Due Date: 12/30/2010

Status: Open Est. Time:
Tech Group: Est. Cost:

Technician Id:

Old Information

User ID: 545260601 Quantity: 1.0
User Name: STATE LABORATORY INSTITUE MAIN Start/Stop Date: 08/01/1997

Item Nbr.: DL1

Location: Building: 126 Floor: 02 Room: 224A

MORRILL SCEINCE CENTER I

Deinstall Date: Get from Loc.:

Action: None Return to Loc.:

Serial Nbr:

LEN/Port Information: Directory Nbr.: (413) 545-2606

Switch Node: ERA1 LEN Nbr.: 27 0 21 06

Cable Information: Jack ID: 126-01-1-014A

Distribution ID: 12602224A Cable: 126-01-1-014A Pair 1: Pair 2: Pair 3: Pair 4: 1 Distribution ID: 126-01-1 Cable: A0404-0375 Pair 1: 295 Pair 2: Pair 3: Pair 4: Distribution ID:MDFA04 Cable: Pair 1: Pair 2: Pair 3: Pair 4:

New Information

User ID:545260601Quantity:1.0User Name:STATE LABORATORY INSTITUE MAINStart Bill Date:Item Number:D4220/DL1Stop Bill Date:

Location: Building: 126 Floor: 02 Room: N247

Serial Nbr: MORRILL SCEINCE CENTER I

LEN/Port Information: Directory Nbr.: (413) 545-2606

Switch Node: ERA1 LEN Nbr.: 27 0 21 06

Cable Information: Jack ID: 126-01-1-014A

Distribution ID: 12602224A Cable: 126-01-1-014A Pair 1: Pair 2: Pair 3: Pair 4: Distribution ID: 126-01-1 Cable: A0404-0375 Pair 1: 295 Pair 2: Pair 3: Pair 4: Distribution ID: MDFA04 Cable: Pair 1: Pair 2: Pair 3: Pair 4:

Description: User: STATE LABORATORY INSTITUE MAIN / Item: DIGITAL LINE / Equipment Location: MORRILL SCEINCE

CENTER I, Floor 02, Room 224A

Type: Remove Equipment/Services Due Date: 12/30/2010

Status: Open Est. Time: Tech Group: Est. Cost:

Technician Id:

User ID:545260601Quantity:1.0User Name:STATE LABORATORY INSTITUE MAINStart/Stop Date:08/01/1997

Item Number: D601

Location: Building: Floor: Room:

Deinstall Date:

Action: None Return to Loc.:

Serial Nbr:

LEN/Port Information: Directory Nbr.: (413) 545-2606

Switch Node: LEN Nbr.:

Cable Information: Jack ID:

Distribution ID: Pair 1: Pair 2: Pair 3: Pair 4:

Type: Replace Equipment Due Date: 12/30/2010

Status: Open Est. Time:
Tech Group: Est. Cost:

Technician Id:

**Old Information** 

User ID: 545260101 Quantity: 1.0
User Name: DRUG TESTING LAB Start/Stop Date: 08/01/1997

Item Nbr.: DL1

Location: Building: 347 Floor: 02 Room: 224

MORRILL SCIENCE CENTER IV

Deinstall Date: Get from Loc.:
Action: None Return to Loc.:

Serial Nbr:

LEN/Port Information: Directory Nbr.: (413) 545-2601

Switch Node: ERA1 LEN Nbr.: 27 0 43 06

Cable Information: Jack ID: 347-02-1-017B

Distribution ID:34702224 Cable: 347-02-1-017B Pair 1: 1 Pair 3: Pair 4: Pair 2: Distribution ID:347-02-1 Cable: 1260045B-0200 Pair 1: 169 Pair 2: Pair 3: Pair 4: Distribution ID:126-01-1 Cable: A0404-0375 193 Pair 1: Pair 2: Pair 3: Pair 4: Distribution ID:MDFA04 Cable: Pair 1: Pair 2: Pair 3: Pair 4:

New Information

User ID:545260101Quantity:1.0User Name:DRUG TESTING LABStart Bill Date:Item Number:D4220/DL1Stop Bill Date:

Location: Building: 126 Floor: 02 Room: N251A

Serial Nbr: MORRILL SCEINCE CENTER I

LEN/Port Information: Directory Nbr.: (413) 545-2601

Switch Node: ERA1 LEN Nbr.: 27 0 43 06

Cable Information: Jack ID: 347-02-1-017B

Distribution ID: 34702224 Cable: 347-02-1-017B Pair 1: 1 Pair 3: Pair 4: Pair 2: Distribution ID: 347-02-1 Cable: 1260045B-0200 Pair 1: 169 Pair 2: Pair 3: Pair 4: Cable: A0404-0375 Distribution ID: 126-01-1 Pair 1: 193 Pair 4: Pair 2: Pair 3: Distribution ID: MDFA04 Cable: Pair 1: Pair 2: Pair 3: Pair 4:

Description: User: DRUG TESTING LAB / Item: DIGITAL LINE / Equipment Location: MORRILL SCIENCE CENTER IV, Floor 02,

Room 224

Type: Remove Equipment/Services Due Date: 12/30/2010

Status: Open Est. Time: Tech Group: Est. Cost:

Technician Id:

User ID:545260101Quantity:1.0User Name:DRUG TESTING LABStart/Stop Date:08/01/1997

Item Number: D601

Location: Building: Floor: Room:

Deinstall Date:

Action: None Return to Loc.:

Serial Nbr:

LEN/Port Information: Directory Nbr.: (413) 545-2601

Switch Node: LEN Nbr.:

Cable Information: Jack ID:

Distribution ID: Pair 1: Pair 2: Pair 3: Pair 4:

Type: Change Equipment/Services Due Date: 12/30/2010

Status: Open Est. Time:
Tech Group: Est. Cost:

Technician Id:

**Old Information** 

User ID: 545260801 Quantity: 1.0
User Name: FAX - WMASS PUB HEALTH Start/Stop Date: 08/01/1997

Item Number: ALO

Location: Building: 126 Floor: 02 Room: N253

Serial Nbr: MORRILL SCEINCE CENTER I

LEN/Port Information: Directory Nbr.: (413) 545-2608

Switch Node: ERA1 LEN Nbr.: 25 0 42 01

Cable Information: Jack ID: 126-02-1-011B

Distribution ID: 12602N253 Cable: 126-02-1-011B Pair 1: Pair 2: Pair 3: Pair 4: 1 Distribution ID: 126-02-1 Cable: 1260045A-0150 Pair 1: 113 Pair 2: Pair 3: Pair 4: Distribution ID:126-01-1 Cable: A0404-0375 Pair 1: 306 Pair 2: Pair 3: Pair 4: Distribution ID:MDFA04 Cable: Pair 1: Pair 2: Pair 3: Pair 4:

New Information

User ID: 545260801 Quantity: 1.0
User Name: FAX - WMASS PUB HEALTH Start Bill Date: 8/1/1997

Item Number: ALO Stop Bill Date:

Location: Building: 126 Floor: 02 Room: N251A

Serial Nbr: MORRILL SCEINCE CENTER I

LEN/Port Information: Directory Nbr.: (413) 545-2608

Switch Node: ERA1 LEN Nbr.: 25 0 42 01

Cable Information: Jack ID: 126-02-1-011B

Distribution ID: 12602N253 Cable: 126-02-1-011B Pair 1: 1 Pair 3: Pair 4: Pair 2: Distribution ID: 126-02-1 Cable: 1260045A-0150 Pair 1: 113 Pair 2: Pair 3: Pair 4: Distribution ID: 126-01-1 Cable: A0404-0375 Pair 1: 306 Pair 2: Pair 3: Pair 4: Distribution ID: MDFA04 Cable: Pair 1: Pair 2: Pair 3: Pair 4:

Description: User: FAX - WMASS PUB HEALTH / Item: ANALOG LINE ONLY / Equipment Location: MORRILL SCEINCE

CENTER I, Floor 02, Room N253

Due Date: 12/30/2010 Type: Replace Equipment

Est. Time: Status: Open Tech Group: Est. Cost:

Technician Id:

**Old Information** 

User ID: 545599001 Quantity: 1.0 User Name: RECEPTION RM N253 Start/Stop Date: 08/01/1997

Item Nbr.: DL1

Building: 126 Room: N253 Location: Floor: 02

MORRILL SCEINCE CENTER I Get from Loc.:

Deinstall Date: Return to Loc.: Action: None

Serial Nbr:

LEN/Port Information: Directory Nbr.: (413) 545-5990

> Switch Node: ERA1 LEN Nbr.: 27 0 20 06

Cable Information: Jack ID: 126-02-1-011A

Distribution ID: 12602N253 Cable: 126-02-1-011A Pair 1: Pair 4: 1 Pair 2: Pair 3: Distribution ID: 126-02-1 Cable: 1260045A-0150 Pair 1: 111 Pair 2: Pair 3: Pair 4: Distribution ID:126-01-1 Cable: A0404-0375 195 Pair 1: Pair 2: Pair 3: Pair 4: Distribution ID:MDFA04 Cable: Pair 1: Pair 2: Pair 3: Pair 4:

New Information

User ID: 545599001 Quantity: 1.0 User Name: RECEPTION RM N253 Start Bill Date: Item Number: D4220/DL1 Stop Bill Date:

> Location: Building: 126 Floor: 02 Room: N251

Serial Nbr: MORRILL SCEINCE CENTER I

LEN/Port Information: Directory Nbr.: (413) 545-5990

> Switch Node: ERA1 LEN Nbr.: 27 0 20 06

Cable Information: Jack ID: 126-02-1-011A

Distribution ID: 12602N253 Cable: 126-02-1-011A Pair 1: 1 Pair 3: Pair 4: Pair 2: Distribution ID: 126-02-1 Cable: 1260045A-0150 Pair 1: 111 Pair 2: Pair 3: Pair 4: Cable: A0404-0375 Distribution ID: 126-01-1 Pair 1: 195 Pair 4: Pair 2: Pair 3: Distribution ID: MDFA04 Cable: Pair 1: Pair 2: Pair 3: Pair 4:

Description: User: RECEPTION RM N253 / Item: DIGITAL LINE / Equipment Location: MORRILL SCEINCE CENTER I, Floor 02,

Room N253

Type: Remove Equipment/Services Due Date: 12/30/2010

Status: Open Est. Time: Tech Group: Est. Cost:

Technician Id:

 User ID:
 545599001
 Quantity:
 1.0

 User Name:
 RECEPTION RM N253
 Start/Stop Date:
 08/01/1997

Item Number: D601

Location: Building: Floor: Room:

Deinstall Date:

Action: None Return to Loc.:

Serial Nbr:

LEN/Port Information: Directory Nbr.: (413) 545-5990

Switch Node: LEN Nbr.:

Cable Information: Jack ID:

Distribution ID: Pair 1: Pair 2: Pair 3: Pair 4: